

Tamper-evident: do not use if the imprinted seal around the cap of this bottle is broken or missing.

Long Acting Nasal Spray

Drug Facts

Active ingredient	Purpose
Oxymetazoline HCl 0.05%...	Nasal decongestant

Uses

- temporarily relieves nasal congestion:
 - due to a cold
 - due to hay fever or other upper respiratory allergies (allergic rhinitis)
- temporarily relieves stuffy nose

170w2.1

Drug Facts (continued)

Warnings

Do not use for more than 3 days

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge may occur
- the use of this container by more than one person may spread infection
- use only as directed
- frequent or prolonged use may cause nasal congestion to recur or worsen

Stop use and ask a doctor if symptoms persist

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision):
 - 2 or 3 sprays in each nostril not more often than every 10 to 12 hours
 - do not exceed 2 doses in any 24-hour period
- children under 6 years of age: ask a doctor

Other information

- store between 2°C and 30°C (36°F and 86°F)

Inactive ingredients

benzalkonium chloride, disodium edetate, disodium phosphate, monosodium phosphate, purified water, sodium chloride, sorbitol