

Tamper-evident: do not use if the imprinted seal under the cap is broken or missing.

Super Troche Plus

Drug Facts

Active ingredient (in each lozenge)

Purpose

Benzocaine 10 mg..... Oral pain reliever

Uses

- temporarily relieves:
- sore throat ■ sore mouth
- occasional minor mouth pain and irritation

Warnings

Allergy alert: do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics.

Sore throat warning: if sore throat is severe, lasts for more than 2 days, occurs with or followed by fever, headache, rash, swelling, nausea or vomiting, consult a doctor right away.

~~**When using this product** ■ do not use more than directed ■ do not use for more than 7 days unless directed by a doctor or dentist~~

~~**Stop use and ask a doctor if** ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, or redness lasts or gets worse~~

~~**If pregnant or breast-feeding,** ask a health professional before use.~~

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 years and over: allow 1 lozenge to dissolve slowly in the mouth. May be repeated every 2 hours as needed or as directed by a doctor or dentist.
- children under 6 years: ask a doctor or dentist

Other information

- store at 15 °C to 30 °C (59 °F to 86 °F)
- protect from excessive moisture
- to report serious side effects call (515) 276-1586

Inactive ingredients

acacia gum, artificial cherry flavor, FD&C red no. 40, glucose, glycerin, natural cherry flavor, sucrose, water