Expectorant DM Cough Syrup
Alcohol Free/Sugar Free

Drug Facts

Active ingredients (in each teaspoonful (5 mL))   **Purposes**

Dextromethorphan HBr, USP 10 mg .....Cough suppressant
Guaifenesin, USP 100 mg ....Expectorant

Uses
helps loosen phlegm (mucus) and thin bronchial secretions to:
- drain bronchial tubes
- make coughs more productive
- rid the bronchial passageways of bothersome mucus

temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, ►

178v2.3

Outside label

Drug Facts (continued)

psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have cough that occurs with too much phlegm (mucus) cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or occurs with a fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
take every 4 hours
do not take more than 6 doses in 24 hours ►

Inside label

Drug Facts   (continued)

adults and children 12 years and over	2 teaspoonfuls (10 mL)
children 6 to under 12 years	1 teaspoonful (5 mL)
children 2 to under 6 years	1/2 teaspoonful (2-1/2 mL)
children under 2 years	ask a doctor

Other information
each teaspoonful (5 mL) contains: sodium 2 mg
store at room temperature; 15 °C to 30 °C (59 °F to 86 °F)
protect from freezing   protect from light   alcohol free
to report serious side effects due to the use of this product call (515) 276-1586

Inactive ingredients
citric acid, FD&C red no. 40, flavors, glycerin, saccharin sodium, sodium benzoate, sorbitol, water

Base label - adheres to bottle