

Now Available Without
a Prescription

11383-185-53

MAXIMUM STRENGTH Hydrocortisone 1%

WITH ALOE VERA

**For the relief of itching associated
with skin irritations, inflammation, and rashes**
Para el alivio de la comezón asociada con irritaciones,
inflamación y erupciones de la piel

- **ODORLESS • GREASELESS**
 - **SOOTHING VANISHING CREAM**
- CONTAINS HYDROCORTISONE 1%



MAXIMUM STRENGTH

ANTI-ITCH CREAM CREMA ANTI- PRURIGINOSA

HYDROCORTISONE 1%

Net Wt/Peso Nt 2 oz (56.7 g)



NON VARNISH AREA

To report serious side effects due to the use of this product call (515) 276-1586 185-53V3.1

Hechos Acerca del Medicamento (continuado)

Levante o haciendo presión con una almohadilla limpiadora apropiada. Siga cuidadosamente golpeando levemente o haciendo presión con papel satinado o un trapo suave. ■ para el prurito anal externo en niños menores de 12 años: ■ pregunte a su médico

Otra información ■ guarde el empaque externo para referencia futura ■ guárdelo a temperatura ambiente controlada de 15°C a 30°C (59°F a 86°F)

Ingredientes Inactivos: ácido láctico, agua purificada, alcohol bencílico, aloe vera, cera emulsionante, glicerina, palmitato isopropílico, solución de sorbitol

Drug Facts

Active ingredient Hydrocortisone 1%
Anti-itch

Purpose

Uses

- for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, cosmetics, jewelry, seborrheic dermatitis, and psoriasis
- for external, feminine and anal itching
- other uses of this product should be only under the advice and supervision of a doctor

Warnings

For external use only

- Do not use
- for the treatment of diaper rash
- for external itching if you have a vaginal discharge
- for external anal itching if bleeding. Consult a doctor promptly.
- When using this product
- do not get into eyes
- for external anal itching, do not use more than directed
- do not put into the rectum by using fingers or any mechanical device or applicator
- Stop use and ask a doctor if
- condition gets worse
- symptoms last for more than 7 days or clear up and occur again within a few days. Do not begin use of any other hydrocortisone product.
- Keep out of reach of children.
- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years and over: apply to affected area not more than 3 to 4 times daily
- children under 2 years: ask a doctor
- for external anal itching in adults: when practical clean the affected area with mild soap and warm water and rinse thoroughly, or by patting or blotting with an appropriate cleansing pad. Gently dry by patting or blotting with toilet tissue or a soft cloth.
- for external anal itching in children under 12 years: ask a doctor

Other information

- keep outer package for future reference
- store at controlled room temperature 15°C to 30°C (59°F to 86°F)

Inactive ingredients aloe vera, benzyl alcohol, emulsifying wax, glycerin, isopropyl palmitate, lactic acid, purified water, sorbitol solution

Hechos Acerca del Medicamento

Ingrediente activo Hidrocortisona al 1%
Propósito Anti-prurítico

Usos

- para el alivio temporal de la comezón asociada con irritaciones leves, inflamación y erupciones de la piel debido a eczema, picaduras de insectos, hiedra venenosa, noble venenoso, maquillaje venenoso, cosméticos, joyería, dermatitis seborrética, y psoriasis
- para prurito femenino externo y prurito anal externo
- este producto debe usarse de otra manera solamente bajo el consejo y supervisión de un médico

Advertencias

Para uso externo solamente

- No lo use
- para el tratamiento de la rozadura por pañal
- para el prurito femenino externo si presenta flujo vaginal
- para el prurito anal externo si está sangrando. Consulte a un médico de inmediato.
- Cuando use este producto
- evite el contacto con los ojos
- para el prurito anal externo, no lo use más de lo indicado
- no lo introduzca en el recto usando los dedos o ningún dispositivo mecánico o aplicador
- Deje de usarlo y consulte a un médico si
- el trastorno empeora
- los síntomas duran más de 7 días o si desaparecen y reaparecen en los días siguientes.
- Manténgalo fuera del alcance de los niños.
- Si se traga, obtenga atención médica o comuníquese de inmediato al Centro de Control de Envenamamientos.

Instrucciones

- adultos y niños mayores de 2 años: aplique en el área afectada no más de 3 a 4 veces al día
- niños menores de 2 años: ■ pregunte a su médico cuando sea práctico, limpie el área afectada con jabón suave y agua tibia y enjuague a fondo, o golpeando

MAXIMUM
STRENGTH
HYDROCORTISONE 1%