

Top panel

Drug Facts

Active ingredients	Purposes
Diphenhydramine HCl 2%	Topical analgesic
Pramoxine HCl 1%	Topical analgesic

Uses

- temporarily relieves pain and itching due to:

■ scrapes	■ sunburn	■ minor cuts
■ minor burns	■ insect bites	■ minor skin irritations
■ poison ivy, poison oak, or poison sumac		

Warnings

For external use only

Do not use

- on large areas of the body

192/193v2.1

PEEL

2nd panel

Drug Facts (continued)

- with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use if you have ■ chicken pox ■ measles

When using this product do not get into eyes

Stop use and ask a doctor if ■ condition gets worse

- symptoms last for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ do not use more often than directed

Bottom Panel (attached to bottle)

Drug Facts (continued)

- adults and children 12 years and over: apply to affected area not more than 3 to 4 times daily
- children under 12 years: ask a doctor

Other information

- store at controlled room temperature
- call (515) 276-1586 to report any side effects that may occur

Inactive ingredients cetyl alcohol, glyceryl monostearate, isopropyl myristate, menthol, mineral oil, polysorbate 60, propylene glycol, purified water, sodium benzoate, stearyl alcohol